



We bring comfort to your life. ®

## SAFETY DATA SHEET

### SECTION 1 - Identification

#### 1.1 Product Identifier

- Product Name • CARPOL® EDAP-800 Polyol  
Synonyms • Polyol Resin Blend; Ethylenediamine, Ethoxylated and Propoxylated

#### 1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

- Recommended Use • Component for Polyurethane  
Restrictions on Use • Industrial use only

#### 1.3 Details of the Supplier of the Safety Data Sheet

- Manufacturer • Carpenter Co.  
5016 Monument Ave.  
Richmond, Virginia 23230  
(804) 233-0606

#### 1.4 Emergency Telephone

- Chemtrec • (800) 424-9300 (24-hr number)

### SECTION 2 - Hazards Identification

#### 2.1 Classification of the Substance or Mixture

Classification in accordance with 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and GHS (5<sup>th</sup> Edition):

Eye Irritation Category 2A – H319  
Skin Sensitization 1B – H317

#### 2.2 GHS Label Elements

Hazard Pictogram



Signal Word

**WARNING**

Hazard Statements

H319 – Causes serious eye irritation.  
H317-May cause an allergic skin reaction

Precautionary Statements

**Prevention**

P261 - Avoid breathing fume/mist/vapors/spray.  
 P272 - Contaminated work clothing should not be allowed out of the workplace.  
 P280 - Wear eye protection.  
 P264 - Wash thoroughly after handling.

**Response**

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 - If eye irritation persists: Get medical advice/attention.  
 P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.  
 P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.  
 P363 - Wash contaminated clothing before reuse.

**2.3 Hazards Not Otherwise Classified**

- Small amounts swallowed may cause gastrointestinal discomfort.
- Refer to Section 16 Other Information for relevant EU CLP phrases.

**SECTION 3 - Composition/Information on Ingredients**

**3.1 Substance**

Name	Identifier	% (weight)
Ethylenediamine, ethoxylated and propoxylated	CAS# 26316-40-5	100

**3.2 Mixtures**

Material does not meet the criteria of a mixture according to United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

**SECTION 4 - First Aid Measures**

**4.1 Description of First Aid Measures**

- |                            |   |
|----------------------------|---|
| By route of inhalation     | <ul style="list-style-type: none"> <li>• Remove victim to fresh air. If breathing is difficult, oxygen may be beneficial if administered by trained personnel. Seek medical attention.</li> </ul> |
| By route of dermal contact | <ul style="list-style-type: none"> <li>• Remove contaminated clothing and shoes. Wash thoroughly with soap and water. Seek medical attention if irritation develops.</li> </ul>                   |
| By route of eye contact    | <ul style="list-style-type: none"> <li>• Flush with plenty of water for at least 15 minutes while holding the eyelid(s) open. Seek medical attention.</li> </ul>                                  |

By route of ingestion

- DO NOT INDUCE VOMITING. If victim is conscious, give 1 to 2 glasses of water for dilution. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Seek medical attention immediately.

#### 4.2 Most Important Symptoms and Effects, Acute and Chronic

- Refer to Section 11 Toxicological Information.

#### 4.3 Indication of Immediate Medical Attention and Special Treatment If Needed

- Treat symptomatically and supportively.

### SECTION 5 - Firefighting Measures

#### 5.1 Extinguishing Media

Suitable Extinguishing Media

- Dry chemical, foam, carbon dioxide, water fog or fine spray.

Unsuitable Extinguishing Media

- Do not use direct water spray. May spread fire.

#### 5.2 Special Hazards Arising From the Substance or Mixture

- May produce oxides of carbon and nitrogen on combustion. Smoke may be toxic and irritating.

#### 5.3 Special Protective Actions for Firefighters

- Responding personnel must wear positive-pressure, self-contained breathing apparatus (SCBA) and protective firefighting clothing.

### SECTION 6 - Accidental Release Measures

#### 6.1 Personal Precautions, Protective Equipment, and Emergency Procedures

- Isolate the area. Keep unauthorized people away. Do not touch or walk through the spilled material. Spilled material may be slippery. Ensure adequate ventilation in enclosed area. Eliminate all ignition sources. Use protective equipment appropriate for the size of the spill.

#### 6.2 Environmental Precautions

- Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.

#### 6.3 Methods and Materials for Containment and Clean Up

Methods

- Stop leak, dam spill, and transfer liquid into a suitable container.
- Collect residue with absorbent and transfer into a suitable container for proper disposal.

Materials

- For large spills, responding personnel must use supplied-air positive pressure breathing apparatus.
- Use an inert absorbent (sand, earth or similar).

## 6.4 Reference to Other Sections

- Refer to Section 8 for exposure control and personal protective equipment information.
- Refer to Section 12 for ecological information.

## SECTION 7: Handling and Storage

### 7.1 Precautions for Safe Handling

- Avoid breathing dust, vapor or spray mist.
- Do not use in areas without adequate ventilation.
- Avoid contact with eyes, skin, and clothing.
- Use good safety and industrial hygiene practices.

### 7.2 Conditions for Safe Storage, Including any Incompatibilities

Storage	<ul style="list-style-type: none"> <li>• Store materials in a cool, well ventilated, dry place. Keep containers tightly closed when not in use. Do not store and transport with oxidizers and acids.</li> </ul>
Incompatibilities	<ul style="list-style-type: none"> <li>• Keep away from oxidizing materials, acids, isocyanates.</li> </ul>

## SECTION 8: Exposure Controls/ Personal Protection

### 8.1 Control Parameters

#### Exposure Limits/Guidelines

	<u>ACGIH TLV</u>	<u>OSHA PEL</u>
Ethylenediamine, ethoxylated and propoxylated	N/A	N/A

### 8.2 Exposure Controls

Engineering Controls	<ul style="list-style-type: none"> <li>• Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.</li> </ul>
Eye/Face Protection	<ul style="list-style-type: none"> <li>• Safety glasses with side shields. Chemical goggles if there is a significant risk of splashing.</li> </ul>
Respiratory Protection	<ul style="list-style-type: none"> <li>• None required under normal use. If product is heated or sprayed, appropriate respiratory protection may be needed.</li> </ul>

- Skin Protection
- Wear suitable working clothes and shoes.
  - Depending on the potential for exposure, chemical resistant gloves may not be needed (e.g. incidental use). As with any chemical, skin contact should be minimized with good work practices and PPE where needed. Wear chemical resistant gloves appropriate for the intended use. Consult glove manufacturers for assistance in choosing appropriate gloves.
- Ingestion
- Do not eat, drink or smoke in work area. Wash hands before eating or smoking.
- Environmental Exposure Controls
- No data available.
- Additional Protection Measures
- Use near eyewash station and safety shower.

## SECTION 9: Physical and Chemical Properties

### 9.1 Information on Physical and Chemical Properties

<b>Material Description</b>			
Physical Form	• Liquid	Odor	• Low odor
Appearance /Color	• Clear	Odor Threshold	• No data available
<b>General Properties</b>			
Boiling Point	• No data available	Melting Point	• No data available
Decomposition Temperature	• No data available	pH	• No data available
Density (at 25°C)	• No data available	Water Solubility	• High
Solvent Solubility	• No data available	Viscosity (at 25°C)	• No data available
Explosive Properties	• No data available	Specific Gravity/Relative Density	• 1.05 (H <sub>2</sub> O=1)
<b>Volatility</b>			
Vapor Pressure	• No data available	Vapor Density	• No data available
Evaporation Rate	• No data available	VOC (Vol.)	• No data available
Volatiles (Vol.)	• No data available		
<b>Flammability</b>			
Flash Point	• >200°F (PMCC)	LEL	• No data available
UEL	• No data available	Flammability (solid, gas)	• No data available
Auto-ignition Temperature	• No data available		
<b>Environmental</b>			
Octanol/Water Partition Coefficient	• No data available		

### 9.2. Other Information

No additional information available

## SECTION 10: Stability and Reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical Stability

Stable under normal temperatures and pressures.

### 10.3 Possibility of Hazardous Reactions

No data available.

### 10.4 Conditions to Avoid

Elevated temperatures and moisture.

### 10.5 Incompatible Materials

Oxidizing materials, acids, isocyanates.

### 10.6 Hazardous Decomposition Products

No data available.

## SECTION 11: Toxicological Information

### 11.1 Information on Toxicological Effects

Most likely routes of exposure include eye and skin exposure.

#### Acute Toxicity

Chemical	LD <sub>50</sub> oral rat	LD <sub>50</sub> dermal rabbit	LC <sub>50</sub> inhalation rat
Ethylenediamine, Propoxylated and Ethoxylated	>3000 mg/kg (estimated)	No data available	No data available

#### Skin Corrosion/Irritation

- Based on available information, skin corrosion/irritation is not expected under normal conditions of use.

#### Serious Eye Damage/Irritation

- Eye Irritation Category 2A – Causes serious eye irritation (based on similar chemical)

Source: ECHA; OECD Guideline 405; Rabbit

#### Respiratory or Skin Sensitization

- Skin Sensitization Category 1B – May cause an allergic skin reaction.

Source: ECHA

#### Germ Cell Mutagenicity

- Available studies have not indicated this material to be a mutagen.

#### Carcinogenicity

- Not listed under IARC, NTP, or OSHA.

#### Reproductive Toxicity

- Based on available data, classification criteria are not met.

#### Specific Target Organ Toxicity (single exposure)

- No data available

**Specific Target Organ Toxicity (repeated exposure)**

- No data available

**Aspiration Hazard**

- No data available

**11.2 Potential Health Effects**

**Inhalation**

- |         |   |
|---------|---|
| Acute   | • May result in respiratory irritation. |
| Chronic | • None known.                           |

**Skin**

- |         |                                |
|---------|--------------------------------|
| Acute   | • May cause slight irritation. |
| Chronic | • None known.                  |

**Eye**

- |         |                                  |
|---------|----------------------------------|
| Acute   | • Causes serious eye irritation. |
| Chronic | • None known.                    |

**Ingestion**

- |         |                                |
|---------|--------------------------------|
| Acute   | • May be harmful if swallowed. |
| Chronic | • None known.                  |

**SECTION 12: Ecological Information**

**12.1 Toxicity**

This product is not expected to cause significant effects in the aquatic environment.

**12.2 Persistence and Degradability**

No data available.

**12.3 Bioaccumulative Potential**

No data available.

**12.4 Mobility in Soil**

No data available.

**12.5 Other Adverse Effects**

No data available.

**SECTION 13: Disposal Considerations**

**13.1 Waste Disposal Method**

Product Waste

- Do not dump into any sewers, on the ground, or into any body of water.
- All disposal methods must be in compliance with Federal, State/Provincial, and local regulations.
- Store material for disposal as indicated in Section 7 Handling and Storage.

Packaging Waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## SECTION 14: Transport Information

### U.S. DOT/IATA/IMDG

Not regulated.

## SECTION 15: Regulatory Information

### 15.1 Regulatory Status

**CERCLA Hazardous Substances (40 CFR 302):** None reportable.

#### SARA 311/312:

Ethylenediamine, ethoxylated and propoxylated - Acute health hazard. Chronic health hazard.

**SARA 313:** None reportable.

### 15.2 US State Regulations

**STATE RIGHT-TO-KNOW:** To the best of our knowledge, this product contains no chemical known to the State of California to cause cancer, birth defects, or other reproductive harm. (California Health and Safety Code Section 25249.6).

### 15.3 Canadian Regulations

**DSL:** All components of this product are listed on, or exempt from the DSL.

### 15.4 International Inventories\*

**United States:** All components of this product are listed on the TSCA inventory.

**Australia:** All components of this product are listed on the AICS.

**China:** All components of this product are listed on the IECSC.

**Japan:** All components of this product listed on the ENCS.

**Korea:** All components of this product are listed on the ECL.

**Philippines:** All components of this product are listed on the PICCS.

\*=Although a chemical may be listed on a country's inventory, it may not indicate a hazard or regulatory control for use.

## SECTION 16: Other Information

### 16.1 HMIS AND NFPA RATINGS

#### HMIS Classification

Health: 1

Flammability: 1

Reactivity: 1

#### NFPA Ratings

Health: 2

Flammability: 1

Instability: 1

Special: None

### 16.3 Preparation By

I.H. Department



**16.4 Preparation Date**

July 11, 2012

**16.5 Last Revision Date**

May 20, 2020 – Sections 1 and 15

**16.6 Disclaimer/Statement of Liability**

The data in this Safety Data Sheet is offered for your consideration, investigation and verification. The data is presented in good faith and was obtained from sources Carpenter believes to be reliable. Carpenter, however, makes no representation as to the completeness or accuracy. Carpenter makes no warranty, express or implied, with respect to the data contained herein. Carpenter cannot anticipate all conditions under which this data and the product may be used. The conditions of handling, storage, use, and disposal of the product are beyond Carpenter's control. Thus, we expressly disclaim responsibility or liability for any loss, damage or expense arising out of reliance on the information contained herein. You are advised to make your own determination as to safety, suitability and appropriate manner of handling, storage, use and disposal.